

101 737 078

C2 E

REF. GEM-0108/14XZ126466

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,066,646 B2
Issued: June 27, 2006
Name of Patentee: Pescatore et al.
Title of Invention: Process And Apparatus For Calibration Of A Radiological Imaging Device

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ATTENTION: Decision and Certificate of Correction
Branch of the Patent Issue Division

Certificate
SEP 26 2006
of Correction

Sirs:

It is noted that an error appears in this patent of a typographical nature or character, as more fully described below. The mistake incurred through the fault of the Patent and Trademark Office. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on	
<u>Sept 19, 2006</u> (Date of Deposit)	
Maria M. Thomson (Name of Person Mailing Paper)	
<u>Maria M. Thomson</u> Signature	<u>9/19/06</u> Date

SEP 27 2006

The errors appear in the body of the patent: column 4, line 19; column 9, line 5; column 10, line 12 and line 19.


Please send the Certificate of Correction to:

Cantor Colburn LLP
55 Griffin Road South
Bloomfield, Connecticut 06002

Patentees believe that no fee is due; however, if there are any additional charges with respect to this request or otherwise, please charge them to Deposit Account No. 06-1130 maintained by Patentees' attorneys.

Respectfully submitted,

CANTOR COLBURN LLP

By: 

David Arnold
Registration No. 48,894
55 Griffin Road South
Bloomfield, Connecticut 06002
Telephone: (860) 286-2929
Customer No.: 023413

Date: September 15, 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO.: 7,066,646 B2

Page 1 of 1

DATED: June 27, 2006

INVENTOR(S): Pescatore et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4:

Line 19, after "the" delete "x," and insert therefor --x1--

Column 9:

Line 5, after "that" delete "ham" and insert therefro --has--

Column 10:

Line 12, after "device" delete "wit" and insert therefor --with--

Line 19, after "device " delete "hued" and insert therefor --based--

MAILING ADDRESS OF SENDER:

Cantor Colburn LLP
55 Griffin Road South
Bloomfield, CT 06002

PATENT NO. 7,066,646 B2

No. of additional copies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commisioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing this form, call 1-800-PTO-9199 and select option 2.

27 2006